

Office/Contact: Division of Technology and Security

Source: International Fire Code SDCL 3429B; ARSD 61:15; SDBOR Policy Manual

Link: <https://www.iccsafe.org/code-tech-support/codes/the-i-codes/>

https://sdlegislature.gov/Statutes/Codified_Laws/DisplayStatute.aspx?Type=Statute&Statute=34

<https://sdlegislature.gov/Rules/DisplayRule.aspx?Rule=6> <https://sdbor.edu/policy/>

SOUTH DAKOTA STATE UNIVERSITY
Policy and Procedure Manual

SUBJECT: Fire Alarm System Response, Maintenance and Testing

NUMBER: 10:9

1. Purpose

Fire alarm systems are an important part of the safety and security of the university campus. This policy and its procedures set forth the University's requirements for the response, maintenance, and testing of its fire alarm systems on the University campus in conformity with SDBOR policies, University policies, federal and state law, and the University Emergency Management Plan.

2. Definitions

- a. Local Alarm Notification: Notification of a fire or potential fire not received by UPD through the alarm system. This may be the result of a system failure where a fire is activated in the facility and not received at UPD and a building occupant or passerby contacts UPD, or when there is evidence of a fire that has not yet activated the alarm system and a building occupant or passerby notifies UPD.
- b. Fire Alarm: The giving, signaling or transmission to any public fire station, or company or to

e. In the event of an a eof ntof a3 n 3n n n anntan 8n of a of a3 8n n n tm.6 ()102.7 (nt)c2 (3)14.6 (

reviewing the report with the building warden. If necessary corrective action will be addressed through training facility and services maintenance and facility owners will report corrective actions taken to the Emergency Management Specialist.

- ii. Facilities and Services personnel are responsible for conducting visual inspections and tests of fire alarm systems in accordance with the most recent applicable code (NFPA 72, 2010 Edition).